





Series:	Light color(s):
SQIL In-ground Lamps	depending on RGB light controller
Model(s):	Light distribution:
SQIL 200 RGB	diffuse
Reference(s):	Luminous power (typ.):
5223	red 18 cd/ green 45 cd/ blue 11 cd
Dimensions: 200 x 200 x 65 mm	IP code (IEC 60529): IP 66
Color(s):	Material(s):
white	Stainless steel, hard glass
Safety class (IEC 60417):	Connection:
111	1 m cable.
Electrical data:	Operating temperature: -40°55°C
12 V DC, 7.5 W	Storage temperature: -40°90°C
Usage:	Remarks:
To mark, guide or as a decoration in indoor and	When installed horizontal and flush to the ground,
outdoor use.	the lamps can bear the weight of common road
	vehicles with air-filled tires at a speed of up to
	10 km/h.
Description:	Accessories:
Corrosion-resistant in-ground lamp of powder	RGB Controller
coated stainless steel and 12 mm tempered frosted	
glass with ceramic anti-slip coating.	
Lighting with the latest premium HB LEDs.	

Installation:

Direct installation into concrete, stone, marble, wood etc., then grouting of the small remaining joint of about 3 mm with silicone or similar. Result: a rimless and unobtrusive integration into the surrounding flooring.

Revision: 12.18

Disclaimer: Technical data are subject to modification and delivery subject to availability. Any liability for the completeness, topicality and correctness of the data and illustrations shall be excluded. Designa ions may be trademarks and/or subject to copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. All rights reserved by CHAMP Licht Rolf Winter, 83278 Traunstein, Germany.